



**NOTES-**

THIS FOUNDATION DETAIL IS A RECOMMENDATION ONLY AND IS BASED ON GOOD, FIRM, DRY SOIL. ACTUAL FOUNDATION DESIGN IS THE RESPONSIBILITY OF THE PROJECT ENGINEER. IF ADDITIONAL FOUNDATION DEPTH IS REQUIRED, THE SPIKE CAN BE LENGTHENED AND THE DISTANCE BETWEEN THE BASEPLATE AND SUPPORT PLATE CAN BE INCREASED.

CARE MUST BE EXERCISED IN SETTING TUBE PLUMB & LEVEL IN FORMS AND IT MUST BE SECURED SO IT DOES NOT SHIFT WHEN POURING CONCRETE

**STANDARD FOUNDATION ARRANGEMENT**

|             |                  |   |  |
|-------------|------------------|---|--|
| LINGO Order | Date:            | PROJECT:  | <b>ACME/LINGO</b><br>FLAGPOLES<br>SOUTHAMPTON NJ |
| CustOrder   | SCALE:<br>N.T.S. | LOCATION:   |  |
| DwgNo       |                  | SUBJECT: 20', 25' or 30' x 5" flagpole foundation |  |
|             |                  | CUSTOMER:   |  |
|             |                  | CAD Svc.File No.:                                 |  |
|             |                  | SHEET   | OF   |